

Quality Report for Dataset IXLMDZ

Generated on 2025-05-31 at 18:59 UTC

The quality metrics that follow represent quantitative measures of the quality of the dataset.

Metrics

Warnings Summary	2
Fried Parameter	3
Light Level	4
Noise Estimation	4
Sensitivity	5
Average Across Frame - DARK	6
Average Across Frame - LAMP_GAIN	7
Average Across Frame - SOLAR_GAIN	8
Root Mean Square (RMS) Across Frame - DARK	8
Root Mean Square (RMS) Across Frame - LAMP_GAIN	9
Root Mean Square (RMS) Across Frame - SOLAR_GAIN	10
Data Source Health	11
Frame Counts	11
Average Across Dataset	11
Dataset RMS	11
Adaptive Optics Status	12
PolCal Constant Values in Calibration Unit Fit	12
PolCal Global Calibration Unit Fit - Beam 1	12
PolCal Global Calibration Unit Fit - Beam 2	13
PolCal Local Bin Fits - Beam 1	14
PolCal Local Bin Fits - Beam 2	17
PolCal Fit Residuals - Beam 1	20
PolCal Fit Residuals - Beam 2	21
PolCal Modulation Efficiency - Beam 1	22
PolCal Modulation Efficiency - Beam 2	23

Warnings Summary

Data Source Health:

Data sourced from components with a health status of 'ill', 'bad', or 'unknown'.

Average Across Frame - DARK:

File with datetime 2025-04-14T23:06:18.281298 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:03:50.203503 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:06:26.991756 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:03:49.114696 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:07.624420 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:06:00.860381 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:05:02.064786 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:03:49.659099 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:06:09.026436 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:24.500933 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:03:40.948641 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:32.666988 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:10.346438 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:51.176713 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:06:19.370105 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:43.010658 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:05:35.817813 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:06:01.949188 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:05:45.617078 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:26.134144 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:06:29.169371 has a value considered to be an outlier for this metric

Average Across Frame - SOLAR_GAIN:

File with datetime 2025-04-14T23:01:39.835261 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:00:05.653428 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T22:58:55.969760 has a value considered to be an outlier for this metric

Root Mean Square (RMS) Across Frame - SOLAR_GAIN:

File with datetime 2025-04-14T23:01:41.332371 has a value considered to be an outlier for this metric
File with datetime 2025-04-14T23:01:06.490537 has a value considered to be an outlier for this metric
File with datetime 2025-04-14T23:01:05.401730 has a value considered to be an outlier for this metric
File with datetime 2025-04-14T23:01:38.065949 has a value considered to be an outlier for this metric
File with datetime 2025-04-14T23:00:37.092739 has a value considered to be an outlier for this metric
File with datetime 2025-04-14T23:01:39.154756 has a value considered to be an outlier for this metric

PolCal Global Calibration Unit Fit - Beam 1:

ret045 fit value deviates from the initial value by a large amount (3.34 degrees)
ret0h fit value deviates from the initial value by a large amount (-12.28 degrees)


PolCal Global Calibration Unit Fit - Beam 2:

ret045 fit value deviates from the initial value by a large amount (3.58 degrees)
ret0h fit value deviates from the initial value by a large amount (-12.97 degrees)

Fried Parameter

This metric quantifies the stability of the atmosphere during an observation and directly impacts the data quality through a phenomenon known as atmospheric seeing. One measurement is taken per L1 frame. Only measurements taken while the AO system is locked are valid.


Average valid Fried Parameter measurements for L1 dataset: 0.06 ± 0.02 m



Light Level


The telescope light level, as measured by the Telescope Acquisition Camera, at the start of data acquisition of each frame.

Average Light Level for L1 dataset: 642.88 ± 3.6 adu




Noise Estimation

Estimate of the noise in L1 frames. Noise is computed as the average of the stddev of boxes/cubes that extend 1/5 from the edge of the images on all sides. One measurement taken per L1 frame.




Sensitivity

Sensitivity is defined as the stddev of a particular Stokes parameter divided by the signal in Stokes I (computed as a median over the whole frame). One measurement is shown per map scan.



Average Across Frame - DARK

Average intensity value across frames of task type DARK. One measurement is taken per frame in each task type.



File with datetime 2025-04-14T23:06:18.281298 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:03:50.203503 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:06:26.991756 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:03:49.114696 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:07.624420 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:06:00.860381 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:05:02.064786 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:03:49.659099 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:06:09.026436 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:24.500933 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:03:40.948641 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:32.666988 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:10.346438 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:51.176713 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:06:19.370105 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:43.010658 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:05:35.817813 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:06:01.949188 has a value considered to be an outlier for this metric


File with datetime 2025-04-14T23:05:45.617078 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:04:26.134144 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:06:29.169371 has a value considered to be an outlier for this metric


Average Across Frame - LAMP_GAIN

Average intensity value across frames of task type LAMP_GAIN. One measurement is taken per frame in each task type.



Average Across Frame - SOLAR_GAIN

Average intensity value across frames of task type SOLAR_GAIN. One measurement is taken per frame in each task type.




File with datetime 2025-04-14T23:01:39.835261 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:00:05.653428 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T22:58:55.969760 has a value considered to be an outlier for this metric


Root Mean Square (RMS) Across Frame - DARK

RMS value across frames of task type DARK. One measurement is taken per frame in each task type.




Root Mean Square (RMS) Across Frame - LAMP_GAIN

RMS value across frames of task type LAMP_GAIN. One measurement is taken per frame in each task type.



Root Mean Square (RMS) Across Frame - SOLAR_GAIN

RMS value across frames of task type SOLAR_GAIN. One measurement is taken per frame in each task type.



File with datetime 2025-04-14T23:01:41.332371 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:01:06.490537 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:01:05.401730 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:01:38.065949 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:00:37.092739 has a value considered to be an outlier for this metric

File with datetime 2025-04-14T23:01:39.154756 has a value considered to be an outlier for this metric

Data Source Health

This metric contains the worst health status of the data source during data acquisition. One reading is taken per L1 frame.

Status	Count
unknown	1564

Data sourced from components with a health status of 'ill', 'bad', or 'unknown'.

Frame Counts

This metric is a count of the number of frames used to produce a calibrated L1 dataset

Task Type	Total Frames	Unused Frames
POLCAL	9216	0
SOLAR_GAIN	1280	0
DARK	1920	0
GEOMETRIC	1280	0
LAMP_GAIN	640	0
OBSERVE	25343	0

Average Across Dataset

This metric is the calculated mean intensity value across data from an instrument program task type used in the creation of an entire L1 dataset.

Task Type	Dataset Average (adu / sec)
DARK	430.46
SOLAR_GAIN	561055.73
LAMP_GAIN	29842.32

Dataset RMS

This metric is the calculated root mean square intensity value across data from an instrument program task type used in the creation of an entire L1 dataset.

Task Type	Dataset RMS (adu / sec)
LAMP_GAIN	33747.85
SOLAR_GAIN	634416.01
DARK	7195.22

Adaptive Optics Status

This metric shows the percentage of frames in which the adaptive optics system was running and locked

The adaptive optics system was running and locked for 99.0% of the observed frames

PolCal Constant Values in Calibration Unit Fit

These values are important aspects of the polcal model, but are held constant during Calibration Unit fits. p_y is the "transmission leakage" of the polarizer (see Appendix D of Harrington et al. 2021 for more information). The (x, t) pairs parameterize mirror Mueller matrices for three mirror groups; M12, M34, and M56.

Parameter	Value used during fit
polarizer p_y	0.004841
x12	1.001591
t12	-0.046897
x34	1.007936
t34	-0.477460
x56	0.999319
t56	0.241754

PolCal Global Calibration Unit Fit - Beam 1

The deviation from database metrology values for Calibration Unit parameters used to compute demodulation matrices. These parameters are fit the same across all polcal bins.

Parameter	Free in Fit?	Init Value	Best Fit Value	Difference	Relative Diff.
Q_in	False	0.00	0.00	0.00e+00	-
U_in	False	0.00	0.00	0.00e+00	-
V_in	False	0.00	0.00	0.00e+00	-
ret045 [deg]	True	9.12	5.78	3.34e+00	3.67e-01
ret0h [deg]	True	-37.12	-24.84	-1.23e+01	-3.31e-01
ret0r [deg]	True	-0.25	0.07	-3.13e-01	-1.27e+00
t_pol [%]	False	93.23	93.23	0.00e+00	0.00e+00
t_ret [%]	False	97.77	97.77	0.00e+00	0.00e+00

ret045 fit value deviates from the initial value by a large amount (3.34 degrees)

ret0h fit value deviates from the initial value by a large amount (-12.28 degrees)

PolCal Global Calibration Unit Fit - Beam 2


The deviation from database metrology values for Calibration Unit parameters used to compute demodulation matrices. These parameters are fit the same across all polcal bins.



Parameter	Free in Fit?	Init Value	Best Fit Value	Difference	Relative Diff.
Q_in	False	0.00	0.00	0.00e+00	-
U_in	False	0.00	0.00	0.00e+00	-
V_in	False	0.00	0.00	0.00e+00	-
ret045 [deg]	True	9.12	5.53	3.58e+00	3.93e-01
ret0h [deg]	True	-37.12	-24.15	-1.30e+01	-3.49e-01
ret0r [deg]	True	-0.25	-0.08	-1.62e-01	-6.58e-01
t_pol [%]	False	93.23	93.23	0.00e+00	0.00e+00
t_ret [%]	False	97.77	97.77	0.00e+00	0.00e+00



ret045 fit value deviates from the initial value by a large amount (3.58 degrees)
ret0h fit value deviates from the initial value by a large amount (-12.97 degrees)

PolCal Local Bin Fits - Beam 1

The first plot shows histograms of the individual modulation matrix elements. Data show 100 uniformly sampled points from 7083 total points spanning 7083 spatial bins.












PolCal Local Bin Fits - Beam 2

The first plot shows histograms of the individual modulation matrix elements. Data show 100 uniformly sampled points from 7083 total points spanning 7083 spatial bins.











PolCal Fit Residuals - Beam 1

The top plot shows relative flux residual distributions for all polcal Calibration Sequence steps. The bottom plot shows the reduced chi-squared distribution of all fits. Data show 100 uniformly sampled points from 7083 total points spanning 7083 spatial bins.




PolCal Fit Residuals - Beam 2

The top plot shows relative flux residual distributions for all polcal Calibration Sequence steps. The bottom plot shows the reduced chi-squared distribution of all fits. Data show 100 uniformly sampled points from 7083 total points spanning 7083 spatial bins.



PolCal Modulation Efficiency - Beam 1

The modulation efficiencies for all fit modulation matrices. Data show 100 uniformly sampled points from 7083 total points spanning 7083 spatial bins.



PolCal Modulation Efficiency - Beam 2

The modulation efficiencies for all fit modulation matrices. Data show 100 uniformly sampled points from 7083 total points spanning 7083 spatial bins.

